Product Name: Quantum Fast Catalyst Blue (B-25)

Product identifier: 100455 Revision Date: 08-19-2016

Replaces:



1. Identification

Product identifier used on the label:

Product Name: Quantum Fast Catalyst Blue (B-25)

Product identifier: 100455

Other means of identification

Synonyms: No data available

Recommended use of thechemical and restrictions on
Hardener/ Mixture
Polymerization initiator

use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

Emergency phone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:



GHS Classification: Skin Sensitisation Category 1

Serious Eye Damage/Eye Irritation Category 2A

GHS Signal Word: Warning

GHS Hazard Statements: May cause an allergic skin reaction.

Causes serious eye irritation.

GHS Precautionary Statements:

Safety Precautions: Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water.

Page 1 of 9

Product Name: Quantum Fast Catalyst Blue (B-25)

Product identifier: 100455 Revision Date: 08-19-2016

Replaces:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

classified:

Reports have associated repeated and prolonged occupational overexposure to

solvents with permanent brain and nervous system damage.

May cause dermatitis, asthmatic effects, testicular atrophy.

3. Composition/information on ingredients				
Chemical Component:	CAS number and other	% (or range) of ingredient		
	unique identifiers	% (or range) or ingredient		
Benzoyl Peroxide	94-36-0	10 - 30		
Oxirane, mono derivatives	68609-97-2	0.1 - 1		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: None expected to be needed, however, use an eye wash to remove

a chemical from your eye regardless of the level of hazard. Flush eyes gently with water for at least 15 minutes, lifting upper & lower

eye lids. Seek immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and

continue flushing with water. Wash affected area thoroughly with soap and water. Seek medical advice if symptoms persist Wash

clothing before reuse.

Inhalation: This material does not present a hazard if inhaled. Remove

individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure. If symptoms develop,

immediately move individual away from exposure and into fresh air. Get medical attention immediately. Keep the victim warm and quiet. If the victim has stopped breathing open airway, loosen collar and belt, and administer artificial respiration. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. If breathing becomes labored or

other symptoms develop, seek medical attention at once.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek

Product Name: Quantum Fast Catalyst Blue (B-25)

Product identifier: 100455 Revision Date: 08-19-2016

Replaces:

medical attention if symptoms develop. Provide medical care provider with this MSDS. Call a physician or poison control center immediately. Do not induce vomiting unless directed to do so by medical personnel. If individual is drowsy or unconscious, do not give anything by mouth; place individual on left side with head down. If possible, do not leave individual unattended. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs.

Most important symptoms/effects, acute and delayed:

Most important

No data available

symptoms/effects (Acute):

Most important

No data available

symptoms/effects (Delayed):

Indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical

extinguishing agents. Water spray or fog may also be effective for extinguishing if swept across the base of the fire. Water can also be used to absorb heat and keep exposed material from being

used to absorb heat and keep exposed material from being damaged by fire. Regular foam Carbon dioxide Dry chemical

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Fire and/or Explosion

Hazards:

Vapors may be ignited by heat, sparks, flames or other sources of ignition at or above the low flash point giving rise to a Class B fire. Vapors are heavier than air and may travel to a source of ignition

and flash back

Hazardous Combustion

Products:

Carbon dioxide, Carbon monoxide, Styrene oxide, Phthalic

anhydride, Hydrocarbons

Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self-contained toxic breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.

Flammable component(s) of this material may be lighter than water and burn while floating on the surface. Use water spray/fog for cooling. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when

Product Name: Quantum Fast Catalyst Blue (B-25)

Product identifier: 100455 **Revision Date:** 08-19-2016

Replaces:

exposed to extreme heat.

Wear a self contained breathing apparatus (NIOSH approved) with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal

protective equipment.

Material is easily ignited if allowed to dry.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: Methods and materials for containment and cleaning up: No adverse health affects expected from the clean-up of spilled material. Follow personal protective equipment recommendations found in Section VIII of this MSDS.

No special spill clean-up considerations. Collect and discard in regular trash. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Activate available exhaust ventilation equipment in the immediate spill area. All personnel in the area should be protected as in Section 8. Avoid breathing vapors. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container. Spilled material not immediately cleaned up may increase the fire hazard due to evaporation of water away from the benzoyl peroxide. Spilled material not cleaned up immediately should be wetted with water prior to transfer into disposal container.

7. Handling and storage

Precautions for safe handling:

No special handling instructions due to toxicity. All hazard precautions given in the data sheet must be observed. Do not get in eyes, on skin and clothing Wash hands before eating Use with adequate ventilation Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not take internally. Keep container closed when not in use. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage:

Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Store in a cool dry place For maximum product quality, avoid prolonged storage at temperatures above 75 °F (25 °C). Keep away from heat, sparks, and flame Store in a tightly closed container Avoid contact with incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Peroxides Strong acids Strong oxidizing agents Polymerization catalysts Dimethylanine Cobalt napthenate and other promoters,

Accelerators Reducing agents Hot materials

Product Name: Quantum Fast Catalyst Blue (B-25)

Product identifier: 100455 Revision Date: 08-19-2016

Replaces:

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Benzoyl Peroxide	5 mg/m3	5 mg/m3	No data available

Appropriate engineering

controls:

No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator comfort under normal conditions of use. General or local

ventilation or isolation may prove adequate to keep airborne exposures below exposure limits. Explosion proof exhaust

ventilation should be used.

Individual protection measures, such as personal protective equipment:

Eye Protection: No special requirements under normal industrial use. Splash proof

chemical goggles are recommended to protect against the splash of

product.

Skin Protection: Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Protective gloves and proper clothing should be worn to prevent skin contact. Gloves should be made of neoprene or natural rubber. To prevent repeated or prolonged skin

contact, wear impervious clothing and boots

Respiratory Protection: No respiratory protection required under normal conditions of use.

Use a NIOSH approved respirator designed to remove particulate

matter and organic solvent vapors.

Other Protective Equipment: Splash proof chemical goggles are recommended to protect against

the splash of product. Protective gloves and proper clothing should

be worn to prevent skin contact. Gloves should be made of

neoprene or natural rubber. To prevent repeated or prolonged skin

contact, wear impervious clothing and boots

9. Physical and chemical properties

Odor:

Appearance (physical state, color, etc.):

Appearance (physical state): Paste Color: Blue

Aromatic

Ester-like

Odor threshold:

pH:

No data available

No data available

Product Name: Quantum Fast Catalyst Blue (B-25)

Product identifier: 100455 Revision Date: 08-19-2016

Replaces:

Melting Point/Freezing Point (°C):

No data available

Initial Boiling Point and Boiling Range (°C): 145
Flash Point (°C): NDA

Evaporation Rate:No data available **Flammability (solid, gas):**No data available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit (%):
Lower Flammable/Explosive Limit (%):
Vapor Pressure:

Not applicable
No data available

Vapor Density: Heavier than air. Vapors that evolve from this product

will tend to settle and accumulate near the floor.

Relative Density: 0.83

Solubility(ies): Insoluble Negligible; 0-1%

Partition coefficient: n-octanol/water:

Auto-ignition Temperature (°C):

Decomposition Temperature:

Viscosity:

No data available

VHAP Content by weight – as packaged: 17

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions. unless exposed to heat,

Possibility of hazardousNo data available

reactions:

Conditions to avoid (e.g., static No data available

discharge, shock, or vibration):

Incompatible materials: Peroxides Strong acids Strong oxidizing agents Polymerization

catalysts Dimethylanine Cobalt napthenate and other promoters,

Accelerators Reducing agents Hot materials

Hazardous decomposition

Carbon dioxide Carbon monoxide Styrene oxide Phthalic anhydride

products: Hydrocarbons Flammable products Benzoic acid Benzene

Terphenyls Biphenyls

11. Toxicological information

Product Name: Quantum Fast Catalyst Blue (B-25)

Product identifier: 100455 Revision Date: 08-19-2016

Replaces:

Information on the likely routes

Ingestion, Skin contact, Eye contact, Absorption

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the physical, chemical and toxicological characteristics:

Skin Contact:

No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:No hazard in normal industrial use. Excessive inhalation of vapors may cause nasal

and respiratory irritation, acute nervous system depression, fatigue, weakness,

nausea, headache and dizziness.

Airborne overexposure well above the PEL may result additionally in eye irritation,

headache, chemical bronchitis, asthma-like findings or pulmonary edema.

No hazard in normal industrial use. No hazard in normal industrial use.

Skin Absorption: Causes skin irritation. Contact may cause irritation and possible dermatitis or

sensitization. Symptoms may include redness, burning, drying and cracking of skin, and skin burns Contact with skin can cause irritation, (minor itching, burning and /or

redness), Dermatitis, Defatting may be readily absorbed through the skin.

Eye Contact: No hazard in normal industrial use. Contact with liquid or vapor may result in

irritation, redness, tearing, and blurred vision.

Ingestion Irritation: No hazard in normal industrial use. Causes gastrointestinal tract irritation, nausea,

vomiting, diarrhea and possible ulcerations to mucous membranes. Aspiration of material into the lungs can cause chemical pneumonitis which can be fatal.

Ingestion may cause transient irritation of throat, stomach and gastrointestinal tract. Harmful if swallowed. Human systemic effects by ingestion: changes in structure or

function of esophagus, nausea, or vomiting, and other gastrointestinal effects.

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA. The International Agency for Research on Cancer (IARC) has classified styrene as a group 2B

carcinogen (possibly carcinogenic to humans).

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity: No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, no hazard in normal industrial use.

Skin Contact: Unlikely to cause irritation even on repeated contact.

Product Name: Quantum Fast Catalyst Blue (B-25)

Product identifier: 100455 Revision Date: 08-19-2016

Replaces:

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
Benzoyl Peroxide	Oral LD50 Rat 7710 mg/kg		

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	
No data available	N	N	N	

12. Ecological information

Ecotoxicity (aquatic andThis material is not expected to be harmful to the ecology. Styrene is

terrestrial, where available): toxic to aquatic organisms and should not be released

to sewage, draining systems or any body of water exceeding concentrations of approved limits under applicable regulations and permits. This material is toxic to aquatic organisms and should not be released to sewage, draining systems or any body of water exceeding concentrations of approved limits under applicable

regulations and permits.

Persistence and degradability: No

No data available

Bioaccumulative potential:

No data

Mobility in soil: Other adverse effects (such as No data available No data available

hazardous to the ozone layer):

Fcological Toxicity Data

Ecological Toxicity Bata				
Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish	
No data available				

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material is a hazardous waste.

Safe Handling of Waste: This material as supplied, if discarded, would be regulated as a

hazardous waste under RCRA (40 CFR 261).

Waste treatment methods

Dispose of by incineration following Federal, State, Local, or

(including packaging):

Provincial regulations.

Waste Disposal Code(s):

D001

Product Name: Quantum Fast Catalyst Blue (B-25)

Product identifier: 100455 Revision Date: 08-19-2016

Replaces:

14. Transport information

UN number: UN3108

UN proper shipping name: ORGANIC PEROXIDE TYPE E, SOLID (DIBENZOYL PEROXIDE)

Transport hazard class(es): 5.2

Packing group: No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: The intentional ingredients of this product are listed.

Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Benzoyl Peroxide	94-36-0	N	N	Υ	N

16. Other information, including date of preparation or last revision.

Revision Date: 08-19-2016

Revision Number: 13

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances